



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Wolf et al.

Serial No. 10/823,941

Filed: April 14, 2004

For: Self-Condensing pH  
Sensor

Examiner: Kaj K. Olsen

Group Art Unit: 1753

Attorney Docket: 70730.01

Honorable Commissioner of Patents and Trademarks  
Mail Stop Non-Fee Amendment  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Transmitted herewith is an amendment for entry in the above identified patent application.

☒ Response to Office Action  
☒ Transmittal Form/Certificate of Mailing  
☒ Fee Transmittal

DATED this 21st day of March, 2006.

Respectfully submitted,

Michael E. Klicpera  
Attorney for Applicants  
Registration No. 38,044



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Wolf

Serial No. 10/823,941

Filed: April 14, 2004

For: Self-Condensing pH  
Sensor

Examiner: Kaj K. Olsen

Group Art Unit: 1753

Attorney Docket: 70730.01

AMENDMENT AND RESPONSE TO OFFICE ACTION

Sir/Madam:

In response to the Office Action postmarked September 21, 2005, having a shortened statutory period for response set to expire early on December 21, 2005, and having a statutory expiration date on March 21, 2006, please enter the following amendments and remarks:

Amendments to the Specification begin on page 3 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 6 of this paper.

Remarks/Arguments begin on page 15 of this paper.